



- 60° true "Mass-Flow" Hopper Design facilitates discharge and reduces segregation
- 45 cu ft Bottle
- 5,000 lbs Capacity
- USDA/FDA Approved
- Custom Colors and Graphics Available



PHONE: 800-360-3636 FAX: 610-376-4750

PRODUCT MODEL #	DIMENSIONS L" x W" x H"	WORKING CAPACITY cu/ft	CAPACITY lbs	WEIGHT lbs
60/45	48 x 48 x 79	45	5000	290

LID

Gasketed lid available with

locking ring. Vacuum relief lid available to assist

either steel or HDPE

sanitary discharge.

### PROPRIETARY DISCHARGE VALVES IN **APPLICATION SPECIFIC CONFIGURATIONS**


8" Manual Slide Gate Valve

8" Manual Iris Valve

8" Butterfly Valve


Or we can incorporate your valve!

#### \*CUSTOM TRANSITION PIECES ARE AVAILABLE



### **FORK POCKETS**

Built-in pockets ensure easy forklift entry and safe hopper transport.



### **DISCHARGE FLANGE OPTIONS**

Flanged 8" outlet accepts a variety of flow control devices.



# Hopper assemblies can be stacked

## DRY BULK HOPPER ACCESSORIES

**LIFTING SPIDER** - Facilitates removal and transport of fully loaded hopper bottle for discharge.

providing significant space savings.

**SPIDER STRAP KIT - Includes** lifting straps and shackles for use with lifting spider.

### TRANSPORT TIE-DOWN -

**STACKABLE** 

Includes 2 nylon straps & spring actuated carabiners used to secure hopper during transport.

### SUCTION RELIEF VALVE-----

Differential pressure vent provides suction relief to hopper during discharge.

### **HDPE LEVER LOCKING LID RING -**FDA Approved 21 1/2" plastic lock ring for hopper lid.

TRANSPORT DOLLY - 2 fixed and 2 swivel casters with SS frame. Load limitation may apply.



Toolless separation of bottle from

base allows "bulk-bag' style

discharge and easy cleaning.

208 Chestnut Street Reading, PA 19602

WWW.REMCON.COM

PHONE: 800-360-3636 FAX: 610-376-4750